MARKHAM STOUFFVILLE HOSPITAL CORPORATION	OR AFFIX LABEL WITH COMPLETE IN	
	Hospital MRN #:	
Diagnostic Imaging Referral	Patient Name (Last, First):	
Markham Site Booking Line: (905) 472-7020 Fax: (905) 472-7078	Date of Birth (DD/MM/YYYY):	Sex: F M
	Health Card #:	
Uxbridge Site Booking Line: (905) 852-9771 ext 5249	Telephone # (Best Daytime):	
Fax: (905) 852-2462	Alternate #:	
Urgent I MSH site (not all exams offered		
Routine Uxbridge site at Uxbridge)		
Date: Referring MD	Signature	MD Phone #
Additional Reports to:	Contact information for translator if requ	uired (name & number)
Clinical Information:		Is a mechanical lift required
		(i.e. Hoyer lift)? □ Yes □ No
Skull Left Right Left Soft Tissue Neck Shoulder Shoulder Soft Tissue Neck Shoulder Orbits Scapula Scapula Scapula Scapula Stapula Facial Bones Clavicle Humerus Scapula Scapula Scapula Scapula Nasal Bones A.C. Joint Humerus Scaphoid <	Pelvis (1 view) Thoracic Hip Lumbar Femur Sacrum/Co Knee S.I. Joints Tibia-Fibula AP Scoliosi Ankle Other Calcaneous Specials Foot Cordered by S Toe 1, 2, 3, 4, 5 Arthrogram St. Standing Legs Lumbar Pu B Details/Specific B	Esophagus Small Bowel Follow Through Upper GI Series Other iis (1 view) pecialist only. Requires Appt.) Sniff Test Incture
MAMMOGRAPHY Routine Other (Specify) Indicate Findings: Please read instructions on reverse	R	L
ULTRASOUND Small Parts		Appointments Date Time
MSK: Left Right MSK Area of Interest:	Breast: 🗌 Left 📋 Rigl	
Thyroid Scrotal	Axilla	
Body Imaging	Obstetrical	
Abdominal Pelvic: Transabdominal Transvaginal	IPS (NT) Obstetrical	BPP
Renal (Kidneys & Bladder ONLY)		·
Vascular Carotid Venous Doppler Arterial Doppler Left Leg Right	Renal Artery Stenosis Study	
Biopsy Patient on anticoagulants? Yes No Biopsy (Area of	nterest):	

For booked appointments, please refer to instructions given by our scheduling team for arrival times and patient preparation. For further information please visit: www.msh.on.ca

Patients are discouraged from bringing their children to the hospital when the child is not the patient. Please visit www.msh.on.ca

UGI (Upper Gi Series) Takes approximately 15 minutes.

Nothing to eat or drink after midnight (expect to swallow necessary medications).

Nothing to eat or drink for four hours for patients under three years of age for UGI/Barium Enema.

UGI/FT (Small Bowel Series) May take two to four hours.

Nothing to eat or drink after midnight (expect to swallow necessary medications)

Mammography Do not use powder and/or deodorant on day of exam. If you have had a mammogram before in another institution, please bring those previous images with you.

OBSTETRICAL / PELVIC ULTRASOUND EXAMINATIONS

Obstetrical / IPS / BPP / Pelvic For obstetrical exams later than 12 weeks, a full bladder is NOT necessary. For obstetrical exams before 12 weeks or Pelvic exams a full bladder IS necessary. Finish drinking 32 oz/1 L of water one hour prior to appointment time. (DO NOT EMPTY YOUR BLADDER)

Abdominal Nothing to eat or drink for eight hours prior to your appointment (except to swallow necessary medications). For children under three years, feed as usual. For abdominal and pelvis - have nothing to eat, but drink as above. Please indicate if you are diabetic and require an earlier appointment.

Renal Drink 16 oz/0.5 L of water to fill your bladder. (DO NOT EMPTY YOUR BLADDER)

NUCLEAR MEDICINE EXAMINATIONS

Cardiolite Test Takes approximately four hours MUST BRING comfortable pants or shorts, loose-fitting short-sleeved shirt,

rubber-soled closed toe shoes, list of all medicines.

-No Beta Blocker medicine for 48 hours (unless your Doctor tells you not to stop them) check with pharmacy which medicines are Beta Blockers.

Willer medicines are bela blockers.

-No decaf or caffeine drinks, no green tea, no chocolate, no pop for 24 hours before test date.

-No Tylenol or other medicines or supplements containing caffeine for 24 hours before test date.

-No eating for three to four hours before test (diabetics may have juice).

Thyroid Uptake/Scan Bring previous thyroid ultrasound report to the exam Stop taking thyroid medications four weeks prior to appointment unless doctor instructs otherwise.

Renal Scans Drink two to four glasses of water prior to appointment. (You may empty your bladder) Stop ACE inhibitor medications 48 hours before test date unless your Doctor tells you not to stop them.

Billiary/Gastric Nothing to eat or drink for four to six hours before test. Do not fast longer than 12 hours.

Bone Scans Bring previous x-rays to the exam. Also requires delayed imaging three to four hours after initial injection. Technologist will verify return time after initial injection.

Bone Density To avoid paying cash for this exam please check the date of your last Bone Mineral Density (BMD) test with your Doctor to understand when your BMD will be insured by the Ministry of Health. If the previous BMD was done elsewhere please bring a copy of the imaging print-out with you.